Indexes to Volume 8

AUTHOR INDEX

Abadir AR, 168A
Agarwal NN, 111
Al-Mefty O, 231
Anand VK, 231
Apple H, 161A
Ashman MN, 155A

Banner MJ, 187A
Barash PG, 66
Bardoczky GI, 251
Barker S, 174A
Bedford RF, 95
Beneken JEW, 151A, 153A, 159, 255, 321
Berde CB, 16
Bergstrom G, 161A
Berman MF, 107
Bhattacharya A, 147
Birch AA, 152A, 154A
Blessing S, 1
Block FE Jr, 136, 139, 198, 250, 285
Boucek C, 209
Braatz T, 175A
Bradburn MT, 62

Calalang ID, 160A, 164A, 178A, 179A, 180A, 181A
Camporesi EM, 92, 178A
Carovano RG, 157A, 184A
Carroll GC, 101
Carter J, 170A
Casson H, 152A, 154A
Chawla R, 147
Christensen J, 315
Christensen PL, 279
Cicman JH, 295
Cipriano A, 162A, 163A
Cook RI, 95
Courington KR, 91
Cullen J, 154A
Culling RD, 121
Czech T, 116

Dahl MR, 193
Dallenm MH, 186A
Daves S, 174A
Davies C, 257
Davis E, 170A, 173A
de Vries JW, 236
DeBakey ME, 257
Debolsky K, 158A
deCastro NG, 20
Deshane P, 161A
Dobson GM, 62
Doyle DJ, 81
Durkin M, 170A, 172A, 173A
Dutton RC, 169A

Edsall DW, 161A
El-Attar AM, 182A
Elliott WR, 320
Ewell MG, 188A

Farrow J, 161A
Feinstein DM, 160A
Feldman JM, 319
Ferraro L, 174A
Ferris SE, 74
Foster P, 7
Fox J, 153A
Frazier WT, 150A
Friesdorf W, 1, 158A,183A, 308
Fuhrman TM, 28
Fukui Y, 50

Gaal D, 170A
Gaba D, 186A
Gallagher TJ, 91
Gedeon A, 267
Gevirtz CM, 320
Gibby GL, 156A, 157A
Godek H, 170A
Goldiner PL, 320
Golding LR, 257
Goldman DB, 320
Goldman JM, 176A
Good ML, 187A
Gorback MS, 97
Gottlieb I, 267
Gratz I, 20
Gravenstein C, 159A
Gravenstein JS, 151A, 153A, 156A, 159A, 187A, 191
Gravenstein MA, 126
Gravenstein N, 185A
Gross-Alltag F, 183A
Guarini M, 162A, 163A
Gunter JB, 93
Gupte P, 175A
Gyermek L, 131

Haanschoten MC, 236
Hähnel J, 1
Halevy J, 95
Harris S, 170A
Harris SN, 170A, 172A, 173A
Hartmannsgruber M, 185A
Henderson G, 131
Henneberg S, 37
Herndon OW, 186A
Hersh L, 161A
Hess D, 111
Hines R, 170A, 172A, 173A
Hinshaw B, 152A
Hogan K, 126
Hök B, 37, 177A
Horan BF, 62
Hull M, 236
Hutchinson J, 155A

Ikeda K, 166A
Indrayan A, 147
Irazuzta JE, 16
Iritani Y, 166A

Jackson KI, 156A
Jacobi AG, 20
Jacoby MI, 295
Jaeger D, 170A
Jain U, 168A
Ji XB, 164A
Johnson JO, 167A
Joshi RM, 91

Kann T, 279
Katchanov N, 158A
Kavanagh BP, 226
Kern SE, 167A
Kibelbek MJ, 185A
Kitz RJ, 243
Klain M, 209
Konno M, 74
Kopriva C, 170A
Kosarussavadi B, 170A
Kraenzler E, 257
Kraidin J, 20
Kraker P, 170A
Krämer A, 162A
Krighnamurthy A, 168A
Krill P, 267
Kristensen J, 267
Kross RA, 95
Kuster M, 315

LaMantia K, 170A
Lampotang S, 187A
Larijani GE, 20
Lawson S, 226
Lee E, 155A
Leijala M, 44
Lema G, 162A
Lennmarken C, 177A
Leon M, 165A
Lightly GW Jr, 92
Litt L, 216
Logas WD, 7
London MJ, 66
Lubenow TR, 7
Luther M, 171A

Mackenzie CF, 155A
Mahla ME, 187A
Mangar D, 91
Mark PWS, 81
Maroon M, 185A
Martin JF, 252
Marx T, 1, 183A
Masuzawa T, 50
Mathew J, 172A
Matus M, 162A, 163A
Mayevsky A, 216
McCann HA, 66
McCarthy RJ, 7
McCloskey G, 170A
McDonald JS, 139
McKown RC, 147
McSweeney TD, 193
Meneses G, 162A
Mest D, 174A
Miller L, 291
Milliken RA, 320
Molner R, 209
Mongan P, 121
Morris T, 136
Muñoz H, 162A
Mustain WD, 231

Nagle S, 155A
Nichols RJ Jr, 147
Nielsen J, 279
Noon GP, 257
Nose Y, 257

Oberg PA, 177A
Obuchowski N, 209
O'Connor T, 170A
O'Connor TZ, 171A, 172A, 173A
Odom SH, 150A
Orr JA, 167A

Pace NL, 142
Pälve H, 12
Partridge BL, 66
Paulsen AW, 319
Paulus DA, 156A
Paulus MP, 186A
Peltola K, 44
Pennant JH, 188A
Perrino AC Jr, 171A
Perucho MH, 33
Peterson RE, 121

January issue, pp 1–100; April issue, pp 101–190; July issue, pp 191–256; October issue, pp 257–333. An "A" following a page number signifies an abstract.

Copyright © 1992 by Little, Brown and Company

Philip JH, 160A, 164A, 178A, 179A, 180A, 181A, 320
Phillips D, 170A
Piepenbrink J, 154A
Pippin WD, 28
Plainer B, 116
Pratilas V, 166A

Quill TJ, 97
Quinn MD, 147

Raemer DB, 179A, 180A, 181A
Rafferty T, 170A, 172A, 173A
Rampil IJ, 216
Ramsey M III, 136
Räsänen J, 44
Reeve W, 250
Reich DL, 33
Reilley TE, 28
Richling B, 116
Rimar S, 170A
Ringeler U, 158A
Runcie CJ, 250

Sacco C, 162A
Sakakibara N, 257
Sandler AN, 226
Sanjo Y, 166A
Sankray H, 7
Sasse F, 126
Scanlon T, 157A, 161A
Schulte GT, 136, 198
Schwilk B, 1, 158A, 308
Sebald AV, 253
Segal E, 91
Sethna NF, 16
Shah N, 95
Shearer VE, 188A
Sheplock GJ, 178A
Shibutani K, 175A
Silverman DG, 95
Sivaprakasapillai B, 175A
Sjödin G, 37
Skibo VF, 295
Smead WL, 193
Smith ML, 157, 184A
Smith NT, 157A, 161A, 169A, 184A
Smith T, 50
Smith WD, 169A
Sopchak AM, 178A
Spagna P, 20
Speiss BD, 7
Spiss CK, 116
Stafford T, 154A
Steinbrook RA, 320
Sutton DC, 160A, 179A, 180, 181A

Takatani S, 257
Talke PO, 147
Talmage LA, 28
Tardiff B, 152A, 154A
Thrush DN, 59
Thys DM, 33
Traber DL, 147
Tuman KJ, 7
Turner KE, 226

Ugnell H, 177A
Urzua J, 162A, 163A

Valdes F, 162A
van der Aa JJ, 151A, 153A
van Oostrom JH, 151A, 153, 159A
Vegfors M, 177A

Walker SS, 185A
Wallace MS, 155A
Weinger MB, 186A, 291
Weinstabl C, 116
Weir P, 174A
Westenskow DR, 167A
White DA, 236
White SE, 187A
Wick V, 226
Wiedeck H, 158A
Wiklund L, 37
Williams J, 7
Wong D, 184A
Wong DH, 174A
Woods DD, 95

Yamamura T, 152A
Yelderman M, 147
Yoder JM, 295

Zaccari J, 174A
Zahl K, 33
Zaworski K, 168A
Zbinden AM, 315
Zornow MH, 186A
Zurick A, 257

Acid-base equilibrium
effects of hypocapnia on canine spinal, subcortical, and cortical somatosensory-evoked potentials during isoflurane anesthesia (Gravenstein et al), ORIGINAL ARTICLE, 126
Air embolism. *See* Embolism
Alarms. *See* Equipment
Allen's test
evaluation of collateral circulation of the hand (Fuhrman et al), ORIGINAL ARTICLE, 28
Anesthesia
depth
analysis of eucapnic hyperpnea as an alternative to overpressure for induction of inhalation anesthesia (Sutton et al), 180A
Gas Man simulation of tissue time constants is verified by comparison to analytic solution (Philip and Calalang), 178A
hand squeeze response test predicts learning during emergence from general anesthesia (Dutton et al), 169A
Anesthesia machines. *See* Equipment
Anesthesiologists
hearing impaired
silent page: a vibratory alarm for the hearing-impaired anesthesiologist (Wallace and Ashman), 155A
workload
objective analysis of performance and workload in the anesthesia "cockpit" (Weinger et al), 186A
Anesthetic techniques
bronchoscopy
quality assurance in intraoperative transesophageal echocardiography: a critical analysis of a 2-year experience (Rafferty et al), 170A
closed circuit
closed-circuit coasting from high flow isoflurane anesthesia (El-Attar), 182A
closed circuit programming for code for calculator (Gunter), CORRESPONDENCE, 93
cost-benefit analysis
on the shoulders of progress (Gravenstein), EDITORIAL, 191
regional
electromyographic monitoring of profound surgical muscle relaxation during cardiac anesthesia (Gyermek and Henderson), ORIGINAL ARTICLE, 131
routine use of nerve stimulator reduces incidence of postoperative muscle weakness (Hartmannsgruber and Gravenstein), 185A
sympathetic block
laser Doppler measurements of skin blood flow before, during, and after lumbar sympathetic blockade in children and young adults with reflex sympathetic dystrophy syndrome (Irazuzta et al), ORIGINAL ARTICLE, 16
simulations
anesthetic simulation for learning basic anesthesia skills (Good et al), 187A
role of simulation in the design of control systems (Beneken), EDITORIAL, 255
spinal
spinal anesthesia database on a personal computer (Katchanov and Debolsky), 158A
Anesthetics
gas
causes, effects, and detection of incorrect medical gas delivery (Hutchinson et al), 155A
Gas Man simulation of tissue time constants is verified by comparison to analytic solution (Philip and Calalang), 178A
volatile
analysis of eucapnic hyperpnea as an alternative to overpressure for induction of inhalation anesthesia (Sutton et al), 180A
eucapnic hyperpnea with isoflurane produces similar emergence times to sevoflurane or desflurane but requires anesthesia machine design changes (Sutton et al), 181A
isoflurane
effects of hypocapnia on canine spinal, subcortical, and cortical somatosensory-evoked potentials during isoflurane anesthesia (Gravenstein et al), ORIGINAL ARTICLE, 126
closed-circuit coasting from high flow isoflurane anesthesia (El-Attar), 182A
methods to produce calibration mixtures for anesthetic gas monitors and how to perform volumetric calculations on anesthetic gases (Christensen et al), ORIGINAL ARTICLE, 279
theoretical analysis of the factors affecting MAC awake (Sutton et al), 179A
Angiotensin. *See* Polypeptides
Aortic valve insufficiency. *See* Complications
Apnea. *See* Ventilation
Arteries
aorta
cardioplegia-induced aortic regurgitation in patients without preexisting aortic valvular disease (Harris et al), 170A
pulmonary
pulmonary artery catheter monitoring during single-lung ventilation in dogs (Boucek et al), ORIGINAL ARTICLE, 209
significance of diastolic pulmonary artery pressure peaks (Dobson et al), CASE REPORT, 62
thermal safety of a filamented pulmonary artery catheter (Yelderman et al), CORRESPONDENCE, 147
radial
evaluation of collateral circulation of the hand (Fuhrman et al), ORIGINAL ARTICLE, 28
radial artery cannulation: a comparison of 15.2- and 4.45-cm catheters (Dahl et al), ORIGINAL ARTICLE, 193
ulnar
evaluation of collateral circulation of the hand (Fuhrman et al), ORIGINAL ARTICLE, 28

January issue, pp 1–100; April issue, pp 101–190; July issue, pp 191–256; October issue, pp 257–333. An "A" following a page number signifies an abstract.

 Copyright © 1992 by Little, Brown and Company

Arteriosclerosis. *See* Complications

Blood
anticoagulants, heparin
evaluation of two activated clotting time monitors during cardiac surgery (Reich et al), ORIGINAL ARTICLE, 33
coagulation
evaluation of two activated clotting time monitors during cardiac surgery (Reich et al), ORIGINAL ARTICLE, 33
hemoglobin
correlated, simultaneous, multiple-wavelength optical monitoring in vivo of localized cerebrocortical NADH and brain microvessel hemoglobin oxygen saturation (Rampil et al), ORIGINAL ARTICLE, 216
superior vena caval and mixed venous oxyhemoglobin saturations in children recovering from open heart surgery (Räsänen et al), ORIGINAL ARTICLE, 44
Blood pressure
measurement
analysis of the efficacy of the Ohmeda Control Display Modulus II Alert Zone System (Feinstein et al), 160A
blood pressure monitoring (Cook and Woods), CORRESPONDENCE, 95
closed-loop control of arterial pressure during cardiac surgery (Martin), CORRESPONDENCE, 252; reply (Sebald), 253
continuous quality improvement using anesthesia information management systems—blood pressure versus intubation: which comes first? (Edsall et al), 161A
Finapres and Dinamap for intraarterial monitoring (Silverman and Halevy), CORRESPONDENCE; reply (Gorback and Quill), 97
measurement of systolic blood pressure with a pulse oximeter (Chawla et al), CORRESPONDENCE; reply (Talke et al), 147
significance of diastolic pulmonary artery pressure peaks (Dobson et al), CASE REPORT, 62
"Torrstick": a ruler calibrated in millimeters of mercury for measurement of hydrostatic pressure (Block et al), TECHNICAL NOTE, 136
transfer function from end-tidal agent tension to blood pressure (Ji et al), 164A
widely unappreciated cause of failure of an automatic noninvasive blood pressure monitor (Weinger et al), CASE REPORT, 291
Brain
brain stem
inconsistencies in the correlation between loss of brain stem auditory-evoked response waves and postoperative deafness (Mustain et al), CASE REPORT, 231
intracranial pressure
analysis of intracranial pressure (Doyle and Mark), TECHNICAL NOTE, 81
comparative analysis between epidural (Gaeltec) and subdural (Camino) intracranial pressure probes (Weinstabl et al), ORIGINAL ARTICLE, 116
metabolism
correlated, simultaneous, multiple-wavelength optical monitoring in vivo of localized cerebrocortical NADH and brain microvessel hemoglobin oxygen saturation (Rampil et al), ORIGINAL ARTICLE, 216
Burns. *See* Complications

Capnography. *See* Measurement techniques
Capnometers. *See* Equipment
Carbon dioxide
hypocarbia
effects of hypocapnia on canine spinal, subcortical, and cortical somatosensory-evoked potentials during isoflurane anesthesia (Gravenstein et al), ORIGINAL ARTICLE, 126
invasive cardiac output determined with a new method based on gas exchange measurements and carbon dioxide rebreathing: a study in animals/pigs (Gedeon et al), ORIGINAL ARTICLE, 267
Carbon dioxide electrodes. *See* Measurement techniques
Cardiopulmonary bypass. *See* Surgery
Catheters. *See* Equipment
Circuits, closed. *See* Equipment
Complications
aortic valve insufficiency
cardioplegia-induced aortic regurgitation in patients without preexisting aortic valvular disease (Harris et al), 170A
arteriosclerosis
does arterial rigidity affect cardiovascular surgical patients? (Urzua et al), 162A
burns
cutaneous injuries associated with pulse oximeters (Poler et al), 185A
equipment failure
letter to the editor (Gevirtz et al), CORRESPONDENCE, 320
widely unappreciated cause of failure of an automatic noninvasive blood pressure monitor (Weinger et al), CASE REPORT, 291
hearing impairment
can people hear the pitch change on a variable-pitch pulse oximeter? (Schulte and Block), ORIGINAL ARTICLE, 198
inconsistencies in the correlation between loss of brain stem auditory-evoked response waves and postoperative deafness (Mustain et al), CASE REPORT, 231
silent page: a vibratory alarm for the hearing-impaired anesthesiologist (Wallace and Ashman), 155A
hypertension
does arterial rigidity affect cardiovascular function in vascular surgical patients? (Urzua et al), 162A
intubation, endotracheal
capnography does not reliably detect double-lumen endotracheal tube malplacement (de Vries and Haanschoten), CASE REPORT, 236
magnetic resonance imaging
remote auscultatory patient monitoring during magnetic resonance imaging (Henneberg et al), ORIGINAL ARTICLE, 37
myocardial ischemia
automated ST-segment trending: what does it mean? (Partridge et al), MONITORING DILEMMA, 66
multilead digital electrocardiographic monitoring during cardiac surgery (Jain et al), 168A
pronation
electrocardiographic changes associated with the prone position (Mangar et al), CORRESPONDENCE, 92
reflex sympathetic dystrophy
laser Doppler measurements of skin blood flow before, during, and after lumbar sympathetic blockade in

Complications (*continued*)
children and young adults with reflex sympathetic dystrophy syndrome (Irazuzta et al), ORIGINAL ARTICLE, 16
thrombosis
radial artery cannulation: a comparison of 15.2- and 4.45-cm catheters (Dahl et al), ORIGINAL ARTICLE, 193
tricuspid valve insufficiency
color-flow Doppler tricuspid regurgitation should be expressed as a function of right atrial dimensions (Rafferty et al), 172A
Computers. *See* Equipment

Doppler. *See* Equipment

Education
medical students
can technology education during medical school make better doctors? (Kitz), STA DISTINGUISHED LECTURE, 243
residents
anesthesia simulation for learning basic anesthesia skills (Good et al), 187A
Electrical systems
conductivity
susceptibility of thermistor-based esophageal temperature probes to errors caused by electrically conductive fluids ("artificial saliva") (Berman), ORIGINAL ARTICLE, 107
Electrocardiography. *See* Monitoring
Embolism
air
pressure monitoring can accurately position catheters for air embolism aspiration (Mongan et al), ORIGINAL ARTICLE, 121
pulmonary
capnographic trend curve monitoring can detect 1-ml pulmonary emboli in humans (Carroll), ORIGINAL ARTICLE, 101
Endobronchial techniques. *See* Anesthetic techniques
Equipment
alarms
automated anesthesia records and anesthetic incidents (Thrush), CASE REPORT, 59
improving alarm systems: how to define acceptable vital signs during general anesthesia (van Oostrom et al), 159A
silent page: a vibratory alarm for the hearing-impaired anesthesiologist (Wallace and Ashman), 155A
widely unappreciated cause of failure of an automatic noninvasive blood pressure monitor (Weinger et al), CASE REPORT, 291
anesthesia machines
analysis of the efficacy of the Ohmeda Control Display Modulus II Alert Zone System (Feinstein et al), 160A
anesthesia systems. part 1: operating principles of fundamental components (Cicman et al), KNOWING YOUR MONITORING EQUIPMENT, 295
integration concepts for anesthesia workstation displays (van der Aa et al), 151A
lessons learned in building integrated anesthesia delivery and monitoring systems (Frazier and Odom), 150A
modern basic anesthesia workstation (Birch et al), 152A
spot assessment of the daily anesthesia machine check—human factor analysis (Ewell et al), 188A
technology assessment of anesthesia monitors (Pace), OPINION, 142
auscultatory
remote auscultatory patient monitoring during magnetic resonance imaging (Henneberg et al), ORIGINAL ARTICLE, 37
bronchoscopes
quality assurance in intraoperative transesophageal echocardiography: a critical analysis of a 2-year experience (Rafferty et al), 170A
capnometers
sidestream versus mainstream carbon dioxide analyzers (Block and McDonald), CLINICAL CONTROVERSY, 139
catheters
arterial
pulmonary artery catheter monitoring during single-lung ventilation in dogs (Boucek et al), ORIGINAL ARTICLE, 209
radial artery cannulation: a comparison of 15.2- and 4.45-cm catheters (Dahl et al), ORIGINAL ARTICLE, 193
thermal safety of a filamented pulmonary artery catheter (Yelderman et al), CORRESPONDENCE, 147
closed circuit programming for code for calculator (Gunter), CORRESPONDENCE, 93
pressure monitoring can accurately position catheters for air embolism aspiration (Mongan et al), ORIGINAL ARTICLE, 121
circuits, closed
closed circuit programming for code for calculator (Gunter), CORRESPONDENCE, 93
computers
analysis of eucapnic hyperpnea as an alternative to overpressure for induction of inhalation anesthesia (Sutton et al), 180A
automated anesthesia records and anesthetic incidents (Thrush), CASE REPORT, 59
blood pressure monitoring (Cook and Woods), CORRESPONDENCE, 95
cardiovascular parameter estimation using nonlinear circulatory models (Guarini et al), 164A
cardiovascular simulation using a multiple modeling method on a digital computer-simulation of interaction between the cardiovascular system and angiotensin II (Masuzawa et al), ORIGINAL ARTICLE, 50
closed-loop control of arterial pressure during cardiac surgery (Martin), CORRESPONDENCE, 252; reply (Sebald), 253
computer-based intelligent assistant for preoperative evaluation (Carovano et al), 157A
computerization of anesthesia information management: yet another application (Feldman), CORRESPONDENCE, 319
continuous quality improvement using anesthesia information management systems—blood pressure versus intubation: which comes first? (Edsall et al), 161A
creating a Prolog program in a handheld personal computer for managing the cardiovascular system following spinal anesthesia induction (Smith et al), 157A

development of problem categories for computerized preanesthesia evaluation of outpatients (Gibby et al), 156A
educational computer simulation of malignant hyperthermia (Schwid and O'Donnell), ORIGINAL ARTICLE, 201
eucapnic hyperpnea with isoflurane produces similar emergence times to sevoflurane or desflurane but requires anesthesia machine design changes (Sutton et al), 181A
Gas Man simulation of tissue time constants is verified by comparison to analytic solution (Philip and Calalang), 178A
how can a standard software package for data management in anesthesia be achieved? (Zbinden et al), SPECIAL COMMUNICATION, 315
multilead digital electrocardiographic monitoring during cardiac surgery (Jain et al), 168A
neuromuscular monitoring system based on a personal computer (White and Hull), ALGORITHM, 238
on-line data collection for respiratory analysis (Sopchak et al), 178A
on-line determination of Na^+, K^+, Ca^{++}, and pH during cardiac surgery and transurethral resection of the prostate (Smith et al), 184A
patient-related data management (Friesdorf and Schwilk), SPECIAL COMMUNICATION, 308
role of simulation in the design of control systems (Beneken), EDITORIAL, 255
spinal anesthesia database on a personal computer (Katchanov and Debolsky), 158A
theoretical analysis of the factors affecting MAC awake (Sutton et al), 179A

Doppler
color-flow Doppler tricuspid regurgitation should be expressed as a function of right atrial dimensions (Rafferty et al), 172A
performance of transtracheal Doppler cardiac output monitoring (Perrino et al), 171A

filters
experimental approach to recycling volatile anesthetics (Gross-Alltag et al), 183A

flowmeters
continuous monitoring of the flow-volume loops and compliance during anesthesia (Bardoczky and d'Hollander), CORRESPONDENCE, 251

fluid warmers
new solution to the problem of maintaining the proper air-fluid level in fluid-warmer bubble traps (Block), CORRESPONDENCE, 250

intracranial pressure
analysis of intracranial pressure (Doyle and Mark), TECHNICAL NOTE, 81

intracranial pressure devices
comparative analysis between epidural (Gaeltec) and subdural (Camino) intracranial pressure probes (Weinstabl et al), ORIGINAL ARTICLE, 116

manometers
"Torrstick": a ruler calibrated in millimeters of mercury for measurement of hydrostatic pressure (Block et al), TECHNICAL NOTE, 136

monitors
anesthesia workstation created from an anesthesia machine and a physiologic monitor (Fox and Drew), 153A
development of an electronic clipboard model, pen-based anesthesia record-keeping system (Tardiff et al), 154A
evaluation of users' abilities to recognize musical alarm tones (Block), ORIGINAL ARTICLE, 285
improving alarm systems: how to define acceptable vital signs during general anesthesia (van Oostrom et al), 159A
integration concepts for anesthesia workstation displays (van der Aa et al), 151A
intraoperative information transfer: a summary display of patient status (van der Aa et al), 153A
lessons learned in building integrated anesthesia delivery and monitoring systems (Frazier and Odom), 150A
methods to produce calibration mixtures for anesthetic gas monitors and how to perform volumetric calculations on anesthetic gases (Christensen et al), ORIGINAL ARTICLE, 279
modern basic anesthesia workstation (Birch et al), 152A
technology assessment of anesthesia monitors (Pace), OPINION, 142

nerve stimulators
routine case of nerve stimulator reduces incidence of postoperative muscle weakness (Hartmannsgruber and Gravenstein), 185A

paging devices
silent page: a vibratory alarm for the hearing-impaired anesthesiologist (Wallace and Ashman), 155A

piezo sensors
use of piezoelectric sensor to measure neuromuscular blockade during anesthesia (Kern et al), 167A

pulse oximeters
can people hear the pitch change on a variable-pitch pulse oximeter? (Schulte and Block), ORIGINAL ARTICLE, 198
cutaneous injuries associated with pulse oximeters (Poler et al), 185A
experimental and clinical evaluation of a noninvasive reflectance pulse oximeter sensor (Takatani et al), ORIGINAL ARTICLE, 257
measurement of systolic blood pressure with a pulse oximeter (Chawla et al), CORRESPONDENCE; reply (Talke et al), 147
variability of blood gases, pulse oximeter saturation, and end-tidal carbon dioxide pressure in stable, mechanically ventilated trauma patients (Hess and Agarwal), ORIGINAL ARTICLE, 111

quality control
letter to the editor (Gevirtz et al), CORRESPONDENCE, 320

sensors
comparison of new sensors for respiratory rate monitoring (Vegfors et al), 177A

spectrometers
spare mass spectrometer vs leading systems in the event of a single system failure (Paulsen), CORRESPONDENCE, 319; reply (Steinbrook et al), 320

standards
can a clinician predict the technical equipment a patient will need during intensive care unit treatment? an approach to standardize and redesign the intensive

Equipment (*continued*)
care unit workstation (Hähnel et al), ORIGINAL ARTICLE, 1
stethoscope, esophageal
susceptibility of thermistor-based esophageal temperature probes to errors caused by electrically conductive fluids ("artificial saliva") (Berman), ORIGINAL ARTICLE, 107
temperature sensors
experimental and clinical evaluation of a noninvasive reflectance pulse oximeter sensor (Takatani et al), ORIGINAL ARTICLE, 257
tubes, endotracheal
capnography does not reliably detect double-lumen endotracheal tube malplacement (de Vries and Haanschoten), CASE REPORT, 236
videotape recorders
anesthesia video data recording system (Piepenbrink et al), 154A
Equipment failure. *See* Complications
Expert systems
computer-based intelligent assistant for preoperative evaluation (Carovano et al), 157A
creating a Prolog program in a handheld personal computer for managing the cardiovascular system following spinal anesthesia induction (Smith et al), 157A

Flowmeters. *See* Equipment
Fluid warmers. *See* Equipment

Harvard Medical School
can technology education during medical school make better doctors? (Kitz), STA DISTINGUISHED LECTURE, 243
Hearing
can people hear the pitch change on a variable-pitch pulse oximeter? (Schulte and Block), ORIGINAL ARTICLE, 198
inconsistencies in the correlation between loss of brain stem auditory-evoked response waves and postoperative deafness (Mustain et al), CASE REPORT, 231
silent page: a vibratory alarm for the hearing-impaired anesthesiologist (Wallace and Ashman), 155A
Hearing impairment. *See* Complications
Heart
arrhythmia
continuous mixed venous oxygen saturation during recurrent nodal rhythm: an unusual waveform trend (Segal et al), CORRESPONDENCE, 91
atrial
pressure monitoring can accurately position catheters for air embolism aspiration (Mongan et al), ORIGINAL ARTICLE, 121
cardiac output
continuous noninvasive cardiac output as estimated from the pulse contour curve (Gratz et al), ORIGINAL ARTICLE, 20
performance of transtracheal Doppler cardiac output monitoring (Perrino et al), 171A
computer simulation
cardiovascular simulation using a multiple modeling method on a digital computer-simulation of interaction between the cardiovascular system and angiotensin II (Masuzawa et al), 50
dysrhythmia
widely unappreciated cause of failure of an automatic noninvasive blood pressure monitor (Weinger et al), CASE REPORT, 291
myocardial ischemia
automated ST-segment trending: what does it mean? (Partridge et al), MONITORING DILEMMA, 66
ventricles, right
in vitro validation of a thermodilution right ventricular ejection fraction method (Ferris and Konno), TECHNICAL NOTE, 74
Heparin. *See* Blood: anticoagulants
Hyperpnea. *See* Ventilation
Hypertension. *See* Complications
Hyperthermia, malignant
educational computer simulation of malignant hyperthermia (Schwid and O'Donnell), ORIGINAL ARTICLE, 201
Hypocarbia. *See* Carbon dioxide
Hypoxia
causes, effects, and detection of incorrect medical gas delivery (Hutchinson, et al), 155A

Intensive care
analysis of the morning ward round in an intensive care unit (Ringeler et al), 158A
can a clinician predict the technical equipment a patient will need during intensive care unit treatment? an approach to standardize and redesign the intensive care unit workstation (Hähnel et al), ORIGINAL ARTICLE, 1
patient-related data management (Friesdorf and Schwilk), SPECIAL COMMUNICATION, 308
Ions
on-line determination of Na^+, K^+, Ca^{++}, and pH during cardiac surgery and transurethral resection of the prostate (Smith et al), 184A
Isoflurane. *See* Anesthetics, volatile

Manometers. *See* Equipment
Mass spectroscopy. *See* Measurement techniques
Massachusetts Institute of Technology
can technology education during medical school make better doctors? (Kitz), STA DISTINGUISHED LECTURE, 243
Measurement techniques
blood gas analysis
variability of blood gases, pulse oximeter saturation, and end-tidal carbon dioxide pressure in stable, mechanically ventilated trauma patients (Hess and Agarwal), ORIGINAL ARTICLE, 111
blood pressure
blood pressure monitoring (Cook and Woods), CORRESPONDENCE, 95
cardiovascular parameter estimation using nonlinear circulatory models (Guarini et al), 163A
Finapres and Dinamap for intraarterial monitoring (Silverman and Halevy), CORRESPONDENCE; reply (Gorback and Quill), 97
measurement of systolic blood pressure with a pulse oximeter (Chawla et al), CORRESPONDENCE; reply (Talke et al), 147
significance of diastolic pulmonary artery pressure peaks (Dobson et al), CASE REPORT, 62
"Torrstick": a ruler calibrated in millimeters of mercury

for measurement of hydrostatic pressure (Block et al), TECHNICAL NOTE, 136
transfer function from end-tidal agent tension to blood pressure (Ji et al), 164A
widely unappreciated cause of failure of an automatic noninvasive blood pressure monitor (Weinger et al), CASE REPORT, 291

capnography
capnographic trend curve monitoring can detect 1-ml pulmonary emboli in humans (Carroll), ORIGINAL ARTICLE, 101
capnography does not reliably detect double-lumen endotracheal tube malplacement (de Vries and Haanschoten), CASE REPORT, 236
is portable capnometry useful during transport of the critically ill? (Runcie and Reeve), CORRESPONDENCE, 250
sidestream versus mainstream carbon dioxide analyzers (Block and McDonald), CLINICAL CONTROVERSY, 139
use of end-tidal P_{CO_2} and transcutaneous P_{CO_2} as noninvasive measurement of arterial P_{CO_2} in extubated patients recovering from general anesthesia (Kavanagh et al), ORIGINAL ARTICLE, 226
variability of blood gases, pulse oximeter saturation, and end-tidal carbon dioxide pressure in stable, mechanically ventilated trauma patients (Hess and Agarwal), ORIGINAL ARTICLE, 111

cardiac output
changes in cardiac output affect $P_{ET}CO_2$, CO_2 transport, and O_2 uptake during unsteady state in humans (Shibutani et al), 175A
changes in SvO_2 do not predict changes in thermodilution cardiac output (Wong et al), 174A
color-flow Doppler tricuspid regurgitation should be expressed as a function of right atrial dimensions (Rafferty et al), 172A
continuous noninvasive cardiac output as estimated from the pulse contour curve (Gratz et al), ORIGINAL ARTICLE, 20
invasive cardiac output determined with a new method based on gas exchange measurements and carbon dioxide rebreathing: a study in animals/pigs (Gedeon et al), ORIGINAL ARTICLE, 267
noninvasive method for estimating a new variable: arterial compliance (Scanlon et al), 161A
performance of transtracheal Doppler cardiac output monitoring (Perrino et al), 171A
pulmonary artery catheter monitoring during single-lung ventilation in dogs (Boucek et al), ORIGINAL ARTICLE, 209
thermal safety of a filamented pulmonary artery catheter (Yelderman et al), CORRESPONDENCE, 147

echocardiography
estimation of right ventricular transgastric short-axis echocardiographic planimetered dimensions by qualitative morphologic criteria (Rafferty et al), 173A
quality assurance in intraoperative transesophageal echocardiography: a critical analysis of a 2-year experience (Rafferty et al), 170A

electrodes, carbon dioxide
effects of hypocapnia on canine spinal, subcortical, and cortical somatosensory-evoked potentials during isoflurane anesthesia (Gravenstein et al), ORIGINAL ARTICLE, 126

flowmetry
laser Doppler measurements of skin blood flow before, during, and after lumbar sympathetic blockade in children and young adults with reflex sympathetic dystrophy syndrome (Irazuzta et al), ORIGINAL ARTICLE, 16

mass spectroscopy
applicability of a Fourier transform mass spectrometer to respiratory gas analysis (Ikeda et al), 166A
causes, effects, and detection of incorrect medical gas delivery (Hutchinson, et al), 155A
spare mass spectrometer vs leading systems in the event of a single system failure (Paulsen), CORRESPONDENCE, 319; reply (Steinbrook et al), 320

neuromuscular blockade
use of piezoelectric sensor to measure neuromuscular blockade during anesthesia (Kern et al), 167A

oximetry
changes in SvO_2 do not predict changes in thermodilution cardiac output (Wong et al), 174A
continuous mixed venous oxygen saturation during recurrent nodal rhythm: an unusual waveform trend (Segal et al), CORRESPONDENCE, 91
oxygen consumption and mixed venous oxygen saturation monitoring during orthotopic liver transplantation (Speiss et al), ORIGINAL ARTICLE, 7

plethysmography
evaluation of collateral circulation of the hand (Fuhrman et al), ORIGINAL ARTICLE, 28

pulse oximetry
evaluation of collateral circulation of the hand (Fuhrman et al), ORIGINAL ARTICLE, 28
experimental and clinical evaluation of a noninvasive reflectance pulse oximeter sensor (Takatani et al), ORIGINAL ARTICLE, 257
reflection and transmission pulse oximetry during compromised peripheral perfusion (Pälve), ORIGINAL ARTICLE, 12
variability of blood gases, pulse oximeter saturation, and end-tidal carbon dioxide pressure in stable, mechanically ventilated trauma patients (Hess and Agarwal), ORIGINAL ARTICLE, 111

spectrophotometry
correlated, simultaneous, multiple-wavelength optical monitoring in vivo of localized cerebrocortical NADH and brain microvessel hemoglobin oxygen saturation (Rampil et al), ORIGINAL ARTICLE, 216

telemetry, infrared
remote auscultatory patient monitoring during magnetic resonance imaging (Henneberg et al), ORIGINAL ARTICLE, 37

thermodilution
thermal safety of a filamented pulmonary artery catheter (Yelderman et al), CORRESPONDENCE, 147
in vitro validation of a thermodilution right ventricular ejection fraction method (Ferris and Konno), TECHNICAL NOTE, 74

Metabolism
NADH
correlated, simultaneous, multiple-wavelength optical monitoring in vivo of localized cerebrocortical NADH and brain microvessel hemoglobin oxygen saturation (Rampil et al), ORIGINAL ARTICLE, 216

Models
cardiovascular
cardiovascular simulation using a multiple modeling method on a digital computer-simulation of interaction between the cardiovascular system and angiotensin II (Masuzawa et al), ORIGINAL ARTICLE, 50
Monitoring
anesthesia
hand squeeze response test predicts learning during emergence from general anesthesia (Dutton et al), 169A
technology assessment of anesthesia monitors (Pace), OPINION, 142
automated record keeping
anesthesia video data recording system (Piepenbrink et al), 154A
anesthesia workstation created from an anesthesia machine and a physiologic monitor (Fox and Drew), 153A
automated anesthesia records and anesthetic incidents (Thrush), 59
computerization of anesthesia information management: yet another application (Feldman), CORRESPONDENCE, 319
continuous quality improvement using anesthesia information management systems—blood pressure versus intubation: which comes first? (Edsall et al), 161A
development of an electronic clipboard model, pen-based anesthesia record-keeping system (Tardiff et al), 154A
integration concepts for anesthesia workstation displays (van der Aa et al), 151A
intraoperative information transfer: a summary display of patient status (van der Aa et al), 153A
lessons learned in building integrated anesthesia delivery and monitoring systems (Frazier and Odom), 150A
modern basic anesthesia workstation (Birch et al), 152A
blood pressure
analysis of the efficacy of the Ohmeda Control Display Modulus II Alert Zone System (Feinstein et al), 160A
blood pressure monitoring (Cook and Woods), CORRESPONDENCE, 95
closed-loop control of arterial pressure during cardiac surgery (Martin), CORRESPONDENCE, 252; reply (Sebald), 253
continuous quality improvement using anesthesia information management systems—blood pressure versus intubation: which comes first? (Edsall et al), 161A
does arterial rigidity affect cardiovascular function in vascular surgical patients? (Urzua et al), 162A
letter to the editor (Gevirtz et al), CORRESPONDENCE, 320
Finapres and Dinamap for intraarterial monitoring (Silverman and Halevy), CORRESPONDENCE; reply (Gorback and Quill), 97
measurement of systolic blood pressure with a pulse oximeter (Chawla et al), CORRESPONDENCE; reply (Talke et al), 147
pulmonary artery catheter monitoring during single-lung ventilation in dogs (Boucek et al), ORIGINAL ARTICLE, 209
role of simulation in the design of control systems (Bencken), EDITORIAL, 255
significance of diastolic pulmonary artery pressure peaks (Dobson et al), CASE REPORT, 62
transfer function from end-tidal agent tension to blood pressure (Ji et al), 164A
widely unappreciated cause of failure of an automatic noninvasive blood pressure monitor (Weinger et al), CASE REPORT, 291
carbon dioxide
capnographic trend curve monitoring can detect 1-ml pulmonary emboli in humans (Carroll), ORIGINAL ARTICLE, 101
capnography does not reliably detect double-lumen endotracheal tube malplacement (de Vries and Haanschoten) CASE REPORT, 236
changes in cardiac output affect $P_{ET}CO_2$, CO_2 transport, and O_2 uptake during unsteady state in humans (Shibutani et al), 175A
inspiratory flow rate affects inspired CO_2 concentration in the presence of a circle circuit expiratory valve leak (Goldman), 176A
invasive cardiac output determined with a new method based on gas exchange measurements and carbon dioxide rebreathing: a study in animals/pigs (Gedeon et al), ORIGINAL ARTICLE, 267
is portable capnometry useful during transport of the critically ill? (Runcie and Reeve), CORRESPONDENCE, 250
use of end-tidal P_{CO_2} and transcutaneous P_{CO_2} as noninvasive measurement of arterial P_{CO_2} in extubated patients recovering from general anesthesia (Kavanagh et al), ORIGINAL ARTICLE, 226
variability of blood gases, pulse oximeter saturation, and end-tidal carbon dioxide pressure in stable, mechanically ventilated trauma patients (Hess and Agarwal), ORIGINAL ARTICLE, 111
cardiovascular
computer-based intelligent assistant for preoperative evaluation (Carovano et al), 157A
creating a Prolog program in a handheld personal computer for managing the cardiovascular system following spinal anesthesia induction (Smith et al), 157A
electrocardiography
automated ST-segment trending: what does it mean? Partridge et al), MONITORING DILEMMA, 66
electrocardiographic changes associated with the prone position (Mangar et al), CORRESPONDENCE, 92
pressure monitoring can accurately position catheters for air embolism aspiration (Mongan et al), ORIGINAL ARTICLE, 121
electrolytes
on-line determination of Na^+, K^+, Ca^{++}, and pH during cardiac surgery and transurethral resection of the prostate (Smith et al), 184A
evaluation of users' abilities to recognize musical alarm tones (Block), ORIGINAL ARTICLE, 285
evoked potentials
effects of hypocapnia on canine spinal, subcortical, and cortical somatosensory-evoked potentials during isoflurane anesthesia (Gravenstein et al), ORIGINAL ARTICLE, 126
inconsistencies in the correlation between loss of brain stem auditory-evoked response waves and postoperative deafness (Mustain et al), CASE REPORT, 231

heart
remote auscultatory patient monitoring during magnetic resonance imaging (Henneberg et al), ORIGINAL ARTICLE, 37
integrated
integration concepts for anesthesia workstation displays (van der Aa et al), 151A
lessons learned in building integrated anesthesia delivery and monitoring systems (Frazier and Odom), 150A
intracranial pressure
analysis of intracranial pressure (Doyle and Mark), TECHNICAL NOTE, 81
comparative analysis between epidural (Gaeltec) and subdural (Camino) intracranial pressure probes (Weinstabl et al), ORIGINAL ARTICLE, 116
oxygen
causes, effects, and detection of incorrect medical gas delivery (Hutchinson et al), 155A
changes in SvO_2 do not predict changes in thermodilution cardiac output (Wong et al), 174A
experimental and clinical evaluation of a noninvasive reflectance pulse oximeter sensor (Takatani et al), ORIGINAL ARTICLE, 257
invasive cardiac output determined with a new method based on gas exchange measurements and carbon dioxide rebreathing: a study in animals/pigs (Gedeon et al), ORIGINAL ARTICLE, 267
methods to produce calibration mixtures for anesthetic gas monitors and how to perform volumetric calculations on anesthetic gases (Christensen et al), ORIGINAL ARTICLE, 279
oxygen consumption and mixed venous oxygen saturation monitoring during orthotopic liver transplantation (Speiss et al), ORIGINAL ARTICLE, 7
reflection and transmission pulse oximetry during compromised peripheral perfusion (Pälve), ORIGINAL ARTICLE, 12
superior vena caval and mixed venous oxyhemoglobin saturations in children recovering from open heart surgery (Räsänen et al), ORIGINAL ARTICLE, 44
physiologic
cardiovascular parameter estimation using nonlinear circulatory models (Guarini et al), 163A
development of problem categories for computerized preanesthesia evaluation of outpatients (Gibby et al), 156A
multilead digital electrocardiographic monitoring during cardiac surgery (Jain et al), 168A
respiratory gases
applicability of a Fourier transform mass spectrometer to respiratory gas analysis (Ikeda et al), 166A
on-line data collection for respiratory analysis (Sopchak et al), 178A
temperature
experimental and clinical evaluation of a noninvasive reflectance pulse oximeter sensor (Takatani et al), ORIGINAL ARTICLE, 257
laser Doppler measurements of skin blood flow before, during, and after lumbar sympathetic blockade in children and young adults with reflex sympathetic dystrophy syndrome (Irazuzta et al), ORIGINAL ARTICLE, 16
susceptibility of thermistor-based esophageal temperature probes to errors caused by electrically conductive fluids ("artificial saliva") (Berman), ORIGINAL ARTICLE, 107
vascular
continuous noninvasive cardiac output as estimated from the pulse contour curve (Gratz et al), ORIGINAL ARTICLE, 20
evaluation of collateral circulation of the hand (Fuhrman et al), ORIGINAL ARTICLE, 28
evaluation of two activated clotting time monitors during cardiac surgery (Reich et al), ORIGINAL ARTICLE, 33
ventilation
anesthesia systems. part 1: operating principles of fundamental components (Cicman et al), KNOWING YOUR MONITORING EQUIPMENT, 295
continuous monitoring of the flow-volume loops and compliance during anesthesia (Bardoczky and d'Hollander), CORRESPONDENCE, 251
evaluation of a new respiratory monitor (Pratilas), 166A
new method for estimating work of breathing during pressure support ventilation (Leon), 165A
remote auscultatory patient monitoring during magnetic resonance imaging (Henneberg et al), ORIGINAL ARTICLE, 37
Monitors
carbon dioxide
sidestream versus mainstream carbon dioxide analyzers (Block and McDonald), CLINICAL CONTROVERSY, 139
Muscle tonus
vascular
Finapres and Dinamap for intraarterial monitoring (Silverman and Halevy), CORRESPONDENCE; reply (Gorback and Quill), 97
Myocardial ischemia. *See* Complications

NAHD. *See* Metabolism
Nerve stimulators. *See* Equipment
Neuromuscular relaxants
neuromuscular monitoring system based on a personal computer (White and Hull), ALGORITHM, 238
pancuronium
electromyographic monitoring of profound surgical muscle relaxation during cardiac anesthesia (Gyermek and Henderson), ORIGINAL ARTICLE, 131
vecuronium
electromyographic monitoring of profound surgical muscle relaxation during cardiac anesthesia (Gyermek and Henderson), ORIGINAL ARTICLE, 131
Neuromuscular transmission
stimulator, nerve
neuromuscular monitoring system based on a personal computer (White and Hull), ALGORITHM, 238

Operating rooms
exhaust systems
experimental approach to recycling volatile anesthetics (Gross-Alltag et al), 183A
simple gas scavenging hood for anesthesia machines (Abadir), 168A
Oxygen
blood levels
correlated, simultaneous, multiple-wavelength optical monitoring in vivo of localized cerebrocortical

Oxygen (*continued*)
NADH and brain microvessel hemoglobin oxygen saturation (Rampil et al), ORIGINAL ARTICLE, 216
invasive cardiac output determined with a new method based on gas exchange measurements and carbon dioxide rebreathing: a study in animals/pigs (Gedeon et al), ORIGINAL ARTICLE, 267
reflection and transmission pulse oximetry during compromised peripheral perfusion (Pälve), ORIGINAL ARTICLE, 12
superior vena caval and mixed venous oxyhemoglobin saturations in children recovering from open heart surgery (Räsänen et al), ORIGINAL ARTICLE, 44
consumption
oxygen consumption and mixed venous oxygen saturation monitoring during orthotopic liver transplantation (Speiss et al), ORIGINAL ARTICLE, 7

Paging devices. *See* Equipment
Pancuronium. *See* Neuromuscular relaxants
Pharmacodynamics
Gas Man simulation of tissue time constants is verified by comparison to analytic solution (Philip and Calalang), 178A
theoretical analysis of the factors affecting MAC awake (Sutton et al), 179A
Piezo sensors. *See* Equipment
Plethysmography. *See* Measurement techniques
Polypeptides
angiotensin
cardiovascular simulation using a multiple modeling method on a digital computer-simulation of interaction between the cardiovascular system and angiotensin II (Masuzawa et al), 50
Pronation. *See* Complications
Pulmonary embolism. *See* Embolism
Pulse oximetry. *See* Measurement techniques

Quality assurance
quality assurance in intraoperative transesophageal echocardiography: a critical analysis of a 2-year experience (Rafferty et al), 170A

Radial artery. *See* Arteries
Records
anesthesia
anesthesia video data recording system (Piepenbrink et al), 154A
automated anesthesia records and anesthetic incidents (Thrush), CASE REPORT, 59
computerization of anesthesia information management: yet another application (Feldman), CORRESPONDENCE, 319
continuous quality improvement using anesthesia information management systems—blood pressure versus intubation: which comes first? (Edsall et al), 161A
development of an electronic clipboard model, pen-based anesthesia record-keeping system (Tardiff et al), 154A
development of problem categories for computerized preanesthesia evaluation of outpatients (Gibby et al), 156A
how can a standard software package for data management in anesthesia be achieved? (Zbinden et al), SPECIAL COMMUNICATION, 315
integration concepts for anesthesia workstation displays (van der Aa et al), 151A
lessons learned in building integrated anesthesia delivery and monitoring systems (Frazier and Odom), 150A
modern basic anesthesia workstation (Birch et al), 152A
spinal anesthesia database on a personal computer (Katchanov and Debolsky), 158A
medical
analysis of the morning ward round in an intensive care unit (Ringeler et al), 158A
patient-related data management (Friesdorf and Schwilk), SPECIAL COMMUNICATION, 308
Reflex sympathetic dystrophy. *See* Complications
Research
can technology education during medical school make better doctors? (Kitz), STA DISTINGUISHED LECTURE, 243
on the shoulders of progress (Gravenstein), EDITORIAL, 191

Sensors. *See* Equipment
Skin
blood flow
laser Doppler measurements of skin blood flow before, during, and after lumbar sympathetic blockade in children and young adults with reflex sympathetic dystrophy syndrome (Irazuzta et al), ORIGINAL ARTICLE, 16
Spectrometers. *See* Equipment
Spectrophotometry. *See* Measurement techniques
Stethoscope, esophageal. *See* Equipment
Surgery
cardiac
closed-loop control of arterial pressure during cardiac surgery (Martin), CORRESPONDENCE, 252; reply (Sebald), 253
evaluation of two activated clotting time monitors during cardiac surgery (Reich et al), ORIGINAL ARTICLE, 33
cardiopulmonary bypass
estimation of right ventricular transgastric short axis echocardiographic planimetered dimensions by qualitative morphologic criteria (Rafferty et al), 173A
cardiovascular
electromyographic monitoring of profound surgical muscle relaxation during cardiac anesthesia (Gyermek and Henderson), ORIGINAL ARTICLE, 131
superior vena caval and mixed venous oxyhemoglobin saturations in children recovering from open heart surgery (Räsänen et al), ORIGINAL ARTICLE, 44
liver transplantation
oxygen consumption and mixed venous oxygen saturation monitoring during orthotopic liver transplantation (Speiss et al), ORIGINAL ARTICLE, 7
neurologic
inconsistencies in the correlation between loss of brain stem auditory-evoked response waves and postoperative deafness (Mustain et al), CASE REPORT, 231
pressure monitoring can accurately position catheters for air embolism aspiration (Mongan et al), ORIGINAL ARTICLE, 121

pediatric
superior vena caval and mixed venous oxyhemoglobin saturations in children recovering from open heart surgery (Räsänen et al), ORIGINAL ARTICLE, 44

Technology
can technology education during medical school make better doctors? (Kitz), STA DISTINGUISHED LECTURE, 243
on the shoulders of progress (Gravenstein), EDITORIAL, 191
Telemetry. *See* Measurement techniques
Temperature
blood
in vitro validation of a thermodilution right ventricular ejection fraction method (Ferris and Konno), TECHNICAL NOTE, 74
Thermodilution. *See* Measurement techniques
Thrombosis. *See* Complications
Tricuspid valve insufficiency. *See* Complications

Vecuronium. *See* Neuromuscular relaxants
Ventilation
apnea
comparison of new sensors for respiratory rate monitoring (Vegfors et al), 177A
evaluation of a new respiratory monitor (Pratilas), 165A
hyperpnea
analysis of eucapnic hyperpnea as an alternative to overpressure for induction of inhalation anesthesia (Sutton et al), 180A
eucapnic hyperpnea with isoflurane produces similar emergence times to sevoflurane or desflurane but requires anesthesia machine design changes (Sutton et al), 181A
invasive cardiac output determined with a new method based on gas exchange measurements and carbon dioxide rebreathing: a study in animals/pigs (Gedeon et al), ORIGINAL ARTICLE, 267
mechanical
can a clinician predict the technical equipment a patient will need during intensive care unit treatment? an approach to standardize and redesign the intensive care unit workstation (Hähnel et al), ORIGINAL ARTICLE, 1
inspiratory flow rate affects inspired CO_2 concentration in the presence of a circle circuit expiratory valve leak (Goldman), 176A
new method for estimating work of breathing during pressure support ventilation (Leon), 165A
variability of blood gases, pulse oximeter saturation, and end-tidal carbon dioxide pressure in stable, mechanically ventilated trauma patients (Hess and Agarwal), ORIGINAL ARTICLE, 111
single lung
pulmonary artery catheter monitoring during single-lung ventilation in dogs (Boucek et al), ORIGINAL ARTICLE, 209
Vital signs
improving alarm systems: how to define acceptable vital signs during general anesthesia (van Oostrom et al), 159A